

Berry Crop Protection Update

Erica Pate, Fruit Crop Specialist, OMAFA

Published May 2025

These lists include new products and product changes for the 2025 season. Check out the [Crop Protection Hub](#) or the [label \(PMRA label search\)](#) for information on rate, preharvest interval, restricted entry interval, efficacy, and comments.

Click the link in the 'crop' column to see the product in the Crop Protection Hub.

Label expansions & new products in 2024-2025

Product, a.i., Group, PCP	Crop	Pests	Comments
Insecticides & Miticides			
Malathion 85 E <i>malathion</i> Group 1B (8372)	Strawberry	Tarnished plant bug	Rate for tarnished plant bug is 880 mL/ha.
Danitol <i>fenpropathrin</i> Group 3 (33817)	Raspberry	Raspberry fruitworm	PHI: 15 days
Magister <i>Fenazaquin</i> Group 21 (34544)	Strawberry	Cyclamen mite	Rate: 2.63 L/ha. Use with a surfactant at 0.25% where permitted. Avoid application during bloom.
Spiro <i>spirodiclofen</i> Group 23 (34247)	Blueberry	Blueberry bud mite	
Spear T <i>GS-omega/kappa-Hxtx-Hv1a</i> Group 32 (34679)	Raspberry Blueberry	Spotted wing drosophila (suppression only)	Rate is 9.4-28 L/ha. Use with a spreader/sticker or non-ionic surfactant at 0.125% where permitted.
BioTitan WP <i>Beauveria bassiana</i> NC (33923)	Strawberry	Tarnished plant bug (reduction in numbers only)	Do not tank-mix with a fungicide.

Suffoil X <i>80% mineral oil</i> Group NC (33099)	Strawberry	Two-spotted spider mite	New rate: 10 L/1000 L water
Product, a.i., Group, PCP	Crop	Pests	Comments
Fungicides			
Cevya <i>Mefentrifluconazole</i> Group 3 (33405)	Strawberry	Botrytis grey mould (suppression only)	0 day PHI
	Blueberry	Botrytis grey mould (Suppression only) ; Mummy berry (suppression only) ; Septoria leaf spot	
	Currants	Septoria leaf spot	
Inspire Super <i>Cyprodonil + Difenoconazole</i> Group 3+9 (30827)	Strawberry	Anthracnose (suppression only) ; Botrytis grey mould	Do not make more than 3 applications of cyprodonil-containing products on strawberries per year (Inspire Super, Switch)
Flint Extra <i>Trifloxystrobin</i> Group 11 (34962)	Strawberry	Powdery mildew	Flint Extra is replacing Flint. Do not tank-mix or make sequential applications with Exirel.
Allegra 500F <i>fluazinam</i> Group 29 (27517)	Blueberry	Botrytis grey mould	
Captan 480 SC <i>captan</i> Group M (34551)	Strawberry	Botrytis grey mould, common leaf spot	Suspension formulation of captan. Note 8-day PHI.
	Raspberry, blackberry	Botrytis grey mould, spur blight	
	Blueberry	Botrytis grey mould, mummy berry	
EcoSwing <i>Swinglea glutinosa extract</i>	Blueberry	Botrytis grey mould (Partial suppression only) ; mummy berry	0 day PHI

Group BM1 (35206)	Raspberry Gooseberry Strawberry	Botrytis grey mould (Partial suppression only)	
ProBLAD Biofungicide <i>BLAD polypeptide 20%</i> Group BM1 (34050)	Raspberry	Botrytis grey mould	0 day PHI
	Blueberry		
Minuet <i>Bacillus subtilis</i> Group BM2 (33651)	Strawberry	Black root rot (suppression only)	Can be applied via surface applications, transplant drench, or drip irrigation
Salibro <i>Fluazaindolizine</i> NC (34182)	Strawberry	Root-knot nematode (suppression only)	Application methods include pre-plant incorporated, chemigation (pre-plant, at-plant, or post-plant), and soil drench (pre-plant, at-plant, or post-plant).

Recent Re-evaluation Decisions for Berry Growers

Registration cancellations		
Product (PCP #)	Crop (Pest)	Decision
Fenbuconazole: Indar (27294)	Blueberry (mummy berry)	Fenbuconazole discontinued. Last date of use is December 31, 2025.

Additionally, production and sale of **Poast Ultra** is discontinued for all use patterns. **Betamix** has also been discontinued. Botector and Apollo are no longer available and have been removed from the Hub.